



EstuaryWatch Physico-chemical Data Sheet - YSI

Site assessed for hazards

Sampled by: _____

Estuary: _____

Site: _____

Max Depth (m): _____

Date: _____

Time: _____

Last membrane replacement: _____

Meter: _____

Date: _____

Time: _____

Calibrations required; (i.e. for DO or EC) _____ Yes / No

• If you selected yes in the above section please indicate

which calibrations you performed (please circle): _____ DO / EC/ pH

Calibrations recorded on calibration record sheet: _____ Yes / No / N/A

Yes / No

Yes / No

Data entered: _____

Data sheet uploaded: _____

Data entered by: _____

Observation ID on database: _____

Approved by coordinator _____

Yes / No

Yes / No

Depth Profiling

Depth (m)	Temp (°C)	Salinity (ppt)	D.O. (mg/l)	D.O. (% sat)	EC (mS/cm)	Notes
0.10	14					
0.50						
1.00	N/A					
1.50						
2.00						
2.50						
3.00						
3.50						
4.00						
4.50						
5.00						

* - sample at 10cm above bottom

Freshwater inflow (circle most appropriate) _____ Dry _____ Pool _____

Slow _____

Med _____

Fast _____

Top and Bottom Sample _____

Turbidity (NTU) _____

pH _____

Top Depth (10cm): _____

15

Bottom Depth: _____

Indicate bottom depth if not 10cm above the max depth _____