

EstuaryWatch Physico-chemical Data Sheet - YSI

Sampled by:



Estuary: Curdees Site: Boggy Creek Max Depth: 2.0 Date: 5/12/23 Time: 10:30

Last membrane replacement: (please indicate the meter, date and time recorded on your membrane replacement record sheet in the space below).

Meter: Date: Time:

Calibrations required: (i.e. for DO or Salinity) Yes / No

- If you selected yes in the above section please indicate Which calibrations you performed (please circle): DO / Salinity

Calibrations recorded on calibration record sheet: Yes / No / N/A

Data Entered:	Yes / No
Date of Entry:	/ /
Data Entered By:	
Observation Id on database:	
Approved by Team leader:	Yes / No
Approved by Coordinator:	Yes / No

Depth Profiling

Depth (m)	Temp (°C)	Salinity (ppt)	D.O. (mg/L)	D.O. (% sat)	EC (mS/cm)	Notes
0.10						
0.50						Intake 0
1.00						Water 0
1.50						
2.00						
2.50						
3.00						
3.50						
4.00						
*						

* - sample at 10cm above bottom

Freshwater inflow (circle most appropriate) Dry Pool Slow Med Fast

Top and Bottom Sample (indicate bottom depth if different to max depth)

Top Turbidity (10cm): 9 Bottom Turbidity: 9

Top pH (10cm): 7.5 Bottom pH: 7.6

www.estuarywatch.com.au