


EstuaryWatch Physico-chemical Data Sheet - YSI

Sampled by: Ash Jarred Dina

Site assessed for hazards



Estuary: Hopkins

Site: H4

Max Depth (m): 2.0m

Date: 13.6.25 Time: 1000

Last membrane replacement:

Meter: YSI 15 Date: 11.12.24 Time: 1500

Calibrations required: (i.e. for DO or EC) Yes / No

- If you selected yes in the above section please indicate Which calibrations you performed (please circle): DO / EC/ pH

Calibrations recorded on calibration record sheet: Yes / No / N/A

Data entered: Yes / No

Data sheet uploaded: Yes / No

Data entered by: Dina

Observation ID on database:

Approved by coordinator Yes / No

Depth Profiling

Depth (m)	Temp (°C)	Salinity (ppt)	D.O. (mg/L)	D.O. (% sat)	EC (mS/cm)	Notes
0.10	8.7	1.7	9.87	84.6	3.27	
0.50	9.9	2.1	9.11	80.6	4.43	
1.00	11.8	7.2	8.03	76.6	12.52	
1.50	11.7	7.3	7.31	69.0	12.75	
2.00 1.8	12.7	8.1	3.93	38.4	14.08	* Incredibly clear + calm
2.50						
3.00						
3.50						
4.00						
4.50						
5.00						
*						

* - sample at 10cm above bottom

Freshwater inflow (circle most appropriate)	Dry	Pool	Slow	Med	Fast
---	-----	------	------	-----	------

Top and Bottom Sample	Turbidity (NTU)	pH
Top Depth (10cm): 1.8	10.0	8.2
Bottom Depth: 1.85 Indicate bottom depth if not 10cm above the max depth	<10.0	8.1