

Estuary Watch Physico-chemical Data Sheet - YSI



Berg
Mt Martha



Estuary: *BALCOMBE*

Site: *PENIC JETTY*

Max Depth: *0.8m*

Date: *20/1/25* Time: *10:15 am*

Last membrane replacement: (please indicate the meter, date and time recorded on your membrane replacement record sheet in the space below).

Meter:

Date:

Time:

Calibrations required: (i.e. for DO or Salinity)

Yes / No

• If you selected yes in the above section please indicate

Which calibrations you performed (please circle):

DO / Salinity

Calibrations recorded on calibration record sheet: Yes / No / N/A

Depth Profiling

Data Entered: <i>20 JAN 2025</i>	Yes / No
Date of Entry:	/ /
Data Entered By: <i>CHATHARD</i>	<i>1 JAN 2025</i>
Observation Id on database:	
Approved by Team leader:	☒ Yes / No
Approved by Coordinator:	Yes / No

Depth (m)	Temp (°C)	Salinity (ppt)	D.O. (mg/L)	D.O. (% sat)	EC (mS/cm)	Notes
0.10	<i>23.4</i>	<i>12.54</i>	<i>6.50</i>	<i>80.8</i>	<i>12.94</i>	<i>BERM CLOSED, NO FLOW.</i>
0.50						
1.00 (<i>0.8m</i>)	<i>23.5</i>	<i>12.98</i>	<i>6.41</i>	<i>79.8</i>	<i>12.49</i>	
1.50						
2.00						
2.50						
3.00						
3.50						
4.00						
*						

* - sample at 10cm above bottom

Freshwater inflow (circle most appropriate)

Dry

☒ Pool

Slow

Med

Fast

Top and Bottom Sample (indicate bottom depth if different to max depth) Bottom *15 MAX DEPTH.*

Top Turbidity (10cm): *10*

Bottom Turbidity: *10*

(CLEAR)

Top pH (10cm): *8.3*

Bottom pH: *8.5*

www.estuarywatch.com.au

Estuary Watch Physico-chemical Data Sheet - YSI



Berg
Mt Martha



Estuary Watch

Sampled by:

Estuary: BALCOMBE

Site: ALCUSTA B

Max Depth: 1.8 m.

Date: 20/1/25

Time: 11:30 am

Last membrane replacement: (please indicate the meter, date and time recorded on your membrane replacement record sheet in the space below).

Meter:

Date:

Time:

Calibrations required: (i.e. for DO or Salinity)

Yes / No

- If you selected yes in the above section please indicate which calibrations you performed (please circle):

DO / Salinity

Calibrations recorded on calibration record sheet: Yes / No / N/A

Depth Profiling

Depth (m)	Temp (°C)	Salinity (ppt)	D.O. (mg/L)	D.O. (% sat)	EC (mS/cm)	Notes
0.10	24.0	12.65	4.5	55.7	12.44	BEAM CLOSED, NO FLOW.
0.50						
1.00						
1.50 (1.8m)	25.2	36.41	0.12	1.5	36.34	
2.00						
2.50						
3.00						
3.50						
4.00						
*						

* - sample at 10cm above bottom

Freshwater inflow (circle most appropriate)	Dry	Pool	Slow	Med	Fast
---	-----	------	------	-----	------

Top and Bottom Sample (indicate bottom depth if different to max depth)

Top Turbidity (10cm): < 10 c.u. Bottom Turbidity: 0.8 m 40. Dark

Top pH (10cm): 7.0 Bottom pH: 7.8 www.estuarywatch.com.au